# greenbuildingproducts.eu

Product Declaration - LEED® v4 Building Design and Major Renovations

MANUFACTURER **BPA-GmbH Herrenberg** 

PRODUCT NAME BPA-SilverSeal

**PRODUCT** 

**CHARACTERISTICS** 

BPA-SilverSeal is a "lightweight" waterproofing system for the use in any water-sealing applications. BPA-SilverSeal is a needle punched non-woven fleece impregnated with water absorbing and water swelling polymer combined with a high density PE-membrane. BPA-SilverSeal is a well-tested double-sealing system, which is specially designed for the waterproofing of concrete structures in building construction, underground engineering and tunnelling. The use of BPA-SilverSeal® eliminates the need for conventional waterproofing materials such as bituminous liners, coatings and synthetic membranes of all kinds. The unique sealing properties of BPA-SilverSeal are attained through two functions: the first sealing function lies in the high density PEmembrane, the second sealing function is only activated if the membrane is damaged and the incoming water activates the swelling non-woven geotextile. If water penetrates the membrane, the water reactive polymer swells thus creating an extremely tight, gel-like film which permanently seals the concrete structure.



**BPA-GmbH Herrenberg** Behringerstr 12 71083 Herrenberg Deutschland

|                             | Product Rating   |                       |           |                       |  |  |
|-----------------------------|--|-----------------------|-----------|-----------------------|--|--|
| LEED Category               | LEED Credit  | max. influenced score | Degree of | gree of fulfillment % |  |  |
|                             | toward satisfying MR Credit 4 "BPDO - Material Ingredients" under LEED. toward satisfying EQ Credit 2 "Low Emitting Materials" under LEED. |                       |           |                       |  |  |
| Materials & Ressources      | Credit 1: Building Life-Cycle Impact Reductions (Option 4: LCA)  | 1-3 Points            | 0%        | 0%                    |  |  |
|                             | Credit 2: BPDO - Environmental Product Declarations  | 1-2 Points            |           |                       |  |  |
|                             | Option 1: Environmental Product Declaration  | 1 Point               | 0%        | 0%                    |  |  |
|                             | Option 2: Multi-Attribute Optimization   | 1 Point               | 0%        | 0%                    |  |  |
|                             | Credit 3: BPDO - Sourcing of Raw Materials   | 1-2 Points            |           |                       |  |  |
|                             | Option 1: Raw Material Source and Extraction Reporting   | 1 Point               | 0%        | 0%                    |  |  |
|                             | Option 2: Leadership Extraction Practices  | 1 Point               | 0%        | 0%                    |  |  |
|                             | Credit 4: BPDO - Material Ingredients  | 1-2 Points            |           |                       |  |  |
|                             | Option 1: Material Ingredient Reporting  | 1 Point               | 100%      | 100%                  |  |  |
|                             | Option 2: Material Ingredient Optimization   | 1 Point               | 100%      | 100%                  |  |  |
|                             | Option 3: Product Manufacturer Supply Chain Optimization   | 1 Point               | 0%        | 0%                    |  |  |
| ndoor Environmental Quality | Credit 2: Low Emitting Materials   | 1-3 Points            | 100%      | 100%                  |  |  |

## About LEED & Products - www.usgbc.org

point in the Credit

This declaration helps to assess products easily according to the certification system LEED® v4 Building Design and Major Renovations (excluded HEALTHCARE and SCHOOLS). Products are not reviewed or certified by LEED. LEED credit requirements cover the performance of materials in aggregate, not the performance of individual products or brands. For more information about LEED visit www.usgbc.org/leed. The project team or the manufacturer is responsible to declare the compliance with the project requirements to achieve LEED points. Below you find an explanation of the symbols. Detailed information are on the next pages.





# MR Credit 1: Building Life-Cycle Impact Reductions (Option 4: LCA)

### Intent

To encourage adaptive reuse and optimize the environmental performance of products and materials.

### Requirement

Environmental Product Declaration (EPD) can be used in Credit "MR 1: Building Life-Cycle Impact Reductions" in Option 4 "Whole-Building Life-Cycle Assessment" for the calculation of the Life-Cycle Assessment of the building. If no EPD exitst, generic datasets will be used.

|    | ou runing           |                        |             |                                      |          |  |  |  |  |
|----|---------------------|------------------------|-------------|--------------------------------------|----------|--|--|--|--|
|    | General Information |                        |             | Option 4:                            | Com      |  |  |  |  |
| No | Product name        | Manufacturer           | Mass<br>[%] | Whole-Building Life-Cycle Assessment | ıpliance |  |  |  |  |
|    | BPA-SilverSeal      | BPA-GmbH<br>Herrenberg | 100%        | not specified                        | _        |  |  |  |  |
| A1 | BPA-SilverSeal      | BPA-GmbH               | 100%        | not specified                        |          |  |  |  |  |

# MR Credit 2: BPDO - Environmental Product Declarations

### Intent

To encourage the use of products and materials for which life-cycle information is available and that have environmentally, economically, and socially preferable life-cycle impacts. To reward project teams for selecting products from manufacturers who have verified improved environmental life-cycle impacts.

### Requirement

Achieve one or more of the options below, for a maximum of 2 points.

Option 1: Environmental Product Declaration (1 Point)

Use at least 20 different permanently installed products sourced from at least five different manufacturers, for which an Environmental Product Declaration exist.

Proof - weighted value [%]:

- Product-specific declaration 25 %
- Industry-wide (generic) EPD 50 %
- Product-specific Type III EPD 100 %

Option 2: Multi-Attribute Optimization (1 Point)

50 % of all materials (based on the material costs of the project) must be less than the industry average in terms of environmental emissions. Third party certified products that demonstrate impact reduction below industry average in at least three of the following categories are valued at 100 % of their cost for credit achievement calculations.

- global warming potential (greenhouse gases), in CO2e;
- depletion of the stratospheric ozone layer, in kg CFC-11;
- acidification of land and water sources, in moles H+ or kg SO2;
- eutrophication, in kg nitrogen or kg phosphate;
- formation of tropospheric ozone, in kg NOx or kg ethene;
- and depletion of nonrenewable energy resources, in MJ.

Regional products (within 160 km = 100 Milen) are double-weighted.

|     | General Information |                        |             | Option 1: Environment | tal Product Declaration       | Option 2: Multi-Attribute Optimization |                 |  |
|-----|---------------------|------------------------|-------------|-----------------------|-------------------------------|--|-----------------|--|
| No. | Product name        | Manufacturer           | Mass<br>[%] | EPD Program Operator  | EPD Type - Weighted Value [%] | Third Party Certification Program**    | Location*       |  |
|     | BPA-SilverSeal      | BPA-GmbH<br>Herrenberg | 100%        | not specified         | not specified                 | not specified ***                      | see<br>location |  |
| A1  | BPA-SilverSeal      | BPA-GmbH               | 100%        | not specified         | not specified                 | not specified ***                      | see location    |  |

<sup>\*</sup> see explanation "Location Valuation Factor" on page 10

<sup>\*\*</sup> Demonstrate impact reduction below industry average

<sup>\*\*\*</sup> Evidence is verified by: not specified

# MR Credit 3: BPDO - Sourcing of Raw Materials 1/2

### Intent

To encourage the use of products and materials for which life cycle information is available and that have environmentally, economically, and socially preferable life cycle impacts. To reward project teams for selecting products verified to have been extracted or sourced in a responsible manner.

### Requirement

Achieve one or more of the options below, for a maximum of 2 points.

Option 1: Raw Material Source and Extraction Reporting (1 Point)

Use at least 20 different permanently installed products sourced from at least five different manufacturers, who published a sustainability report of their suppliers.

- Manufacturer declared corporate sustainability report 50 %
- Third-party verified corporate sustainability report (CSR) according to Global Reporting Initiative (GRI) Sustainability Report, Organisation for Economic Cooperation and Develoment (OECD) Guidelines for Multinational Enterprises, U.N. Global Compact: Communication of Progress or ISO 26000: 2010 Guidance on Social Responsibility 100 % Option 2: Leadership Extraction Practices (1 Point)

25 % of all materials (based on the material costs of the project) must have at least an extended producer responsibility (closed loop or tage back programm) or are made from SAN certified bio-based materials, FSC certified wood, recycling materials (post-consumer recycled content plus one-half of the pre-consumer content), salvaged or reused materials.

| Det | ned Kating  |              |             |   |  |  |  |  |  |  |  |
|-----|---|--------------|-------------|---|--|--|--|--|--|--|--|
|     |   | Information  |             | Option 1: Raw Material Source and Extraction Reporting    |  |  |  |  |  |  |  |
| No  | Product name  | Manufacturer | Mass<br>[%] | Corporate Sustainability Report Type - Weighted Value [%] |  |  |  |  |  |  |  |
|     | BPA-SilverSeal BPA-GmbH Herrenberg 100%               |              | 100%        | not specified   |  |  |  |  |  |  |  |
|     | percentage influential degree (weighted contribution) |              |             | 0%  |  |  |  |  |  |  |  |
| A1  | BPA-SilverSeal  | BPA-GmbH     | 100%        | not specified   |  |  |  |  |  |  |  |

# MR Credit 3: BPDO - Sourcing of Raw Materials 2/2

| De             | alleu Katiliy                        |                        |             |  |           |            |                          |                       |                      |                 |
|----------------|--------------------------------------|------------------------|-------------|--|-----------|------------|--------------------------|-----------------------|----------------------|-----------------|
|                | General Information                  |                        |             | Option 2: Leadership Extraction Practices      |           |            |                          |                       |                      |                 |
| No             | Product name                         | Manufacturer           | Mass<br>[%] | Extended Producer Responsibility - Content [%] | SAN [%]** | FSC [%]*** | Salvaged<br>material [%] | Post-<br>Consumer [%] | Pre-<br>Consumer [%] | Location*       |
|                | BPA-SilverSeal                       | BPA-GmbH<br>Herrenberg | 100%        | not specified                                  | 0%        | 0%         | 0%                       | 0%                    | 0%                   | see<br>location |
|                | percentage influential contribution) | degree (weighted       |             |  |           |            | 0%                       |                       |                      |                 |
| A <sup>-</sup> | BPA-SilverSeal                       | BPA-GmbH               | 100%        | not specified                                  | 0%        | 0%         | 0%                       | 0%                    | 0%                   | see location    |

<sup>\*</sup> see explanation "Location Valuation Factor" on page 10

<sup>\*\*</sup> SAN certified Content [%]

<sup>\*\*\*</sup> FSC certified Content [%]

<sup>\*\*\*\*</sup> Content of reused and salvaged materials [%]

# greenbuildingproducts.eu

Product Declaration - LEED® v4 Building Design and Major Renovations

# MR Credit 4: BPDO - Material Ingredients

### Intent

To encourage the use of products and materials for which life-cycle information is available and that have environmentally, economically, and socially preferable life-cycle impacts. To reward project teams for selecting products for which the chemical ingredients in the product are inventoried using an accepted methodology and for selecting products verified to minimize the use and generation of harmful substances. To reward raw material manufacturers who produce products verified to have improved life-cycle impacts.

Achieve one or more of the options below, for a maximum of 2 points.

Option 1: Material Ingredient Reporting (1 Point)

Use at least 20 different permanently installed products sourced from at least five different manufacturers, which published reports or data sheets with all ingredients.

Proofs (Weighted Value 100 %):

- Manufacturer Inventory
- Health Product Declaration (HPD)
- Cradle to Cradle (Cradle to Cradle v2 Basic or Cradle to Cradle v3 Bronze)

Option 2: Material Ingredient Optimization (1 Point)

25 % of all materials (based on the material costs of the project) must be certified by Green Screen, Cradle to Cradle or REACH.

- GreenScreen v1.2 List Translator 100 %
- GreenScreen v1.2 Assessment 150 %
- Cradle to Cradle v2 Gold 100 %
- Cradle to Cradle v2 Platinum 150 %
- Cradle to Cradle v3 Silver 100 %
- Cradle to Cradle v3 Gold or Platinum 150 %
- REACH 100 %

Option 3: Product Manufacturer Supply Chain Optimization (1 Point)

25 % of all materials (based on the material costs of the project) are sourced from product manufacturers who engage in validated and robust safety, health, hazard, and risk programs and are sourced from product manufacturers with independent third party verification of their supply chain (e.g. ISO 14001 & OHSAS 18000).

| Deta | iled Rating               |                        |  |  |            |               |               |         |       |  |
|------|---------------------------|------------------------|--|--|------------|---------------|---------------|---------|-------|--|
|      |                           |                        |  | Option 1:                                      | Option 2:  |               |               |         |       |  |
|      | General                   | Information            |  | Material                                       | Material   |               |               |         |       |  |
|      | 33                        |                        | Ingredient   | Ingredient                                     |            |               |               |         |       |  |
| No.  |                           |                        | Reporting  | Optimization                                   | Option 3:  | Location*     |               |         |       |  |
| 140. |                           |                        | Certification Product Manufacturer Supply Chain Optimization | Product Manufacturer Supply Chain Optimization | Location   |               |               |         |       |  |
|      | Product name Manufacturer | Manufacturor           | Mass   | Type of  | Program    |               |               |         |       |  |
|      |                           | Manufacturei           | [%]  | Reporting                                      | Weighted   |               |               |         |       |  |
|      |                           |                        |  |  | Value [%]  |               |               |         |       |  |
|      |                           | BPA-GmbH<br>Herrenberg | PDA CmbH   | RDA CmbU                                       | RRA Combil |               | Health        |         |       |  |
|      |                           |                        |  |  |            | RPA-GmbH      | BBA-GmbH Prod | Product | REACH |  |
|      | BPA-SilverSeal            |                        | 100%   | Declaration                                    | 100%       | not specified | location      |         |       |  |
|      |                           | nerremberg             |  | (HPD)  |            |               | location      |         |       |  |
|      |                           |                        |  | 100%   |            |               |               |         |       |  |
|      |                           |                        |  | Health   |            |               |               |         |       |  |
|      |                           |                        |  | Product  | REACH      |               |               |         |       |  |
| A1   | BPA-SilverSeal BPA-       | BPA-GmbH               | 100%   | Declaration                                    | 100%       | not specified | see location  |         |       |  |
|      |                           |                        | (HPD)  |  |            |               |               |         |       |  |
|      |                           |                        |  | 100%   |            |               |               |         |       |  |

<sup>\*</sup> see explanation "Location Valuation Factor" on page 10

# EQ Credit 2: Low Emitting Materials 1/4

### Intent

To reduce concentrations of chemical contaminants that can damage air quality, human health, productivity, and the environment.

### Requirement

This credit includes requirements for product manufacturing as well as project teams. It covers volatile organic compound (VOC) emissions into indoor air and the VOC content of materials, as well as the testing methods by which indoor VOC emissions are determined. Different materials must meet different requirements to be considered compliant for this credit

| Category   | Requirement  |  |  |  |
|--|--|--|--|--|
| Total San and Sate and an affirm and Paul and Paul                 | General Emissions Evaluation for paints and coatings applied to walls, floors, and ceilings        |  |  |  |
| Interior paints and coatings applied on site                       | VOC content requirements for wet applied products  |  |  |  |
| Interior adhesives and sealants applied on site including flooring | General Emissions Evaluation   |  |  |  |
| adhesive   | VOC content requirements for wet applied products  |  |  |  |
| Flooring   | General Emissions Evaluation   |  |  |  |
|  | Composite Wood Evaluation  |  |  |  |
| Composite wood   | Proof: ultra-low-emitting formaldehyde (ULEF), no added formaldehyde resins (NAUF) or salvaged and |  |  |  |
|  | reused wood  |  |  |  |
| Ceilings, walls, thermal, and acoustic insulation                  | General Emissions Evaluation   |  |  |  |
| Functions (include in calculations if                              | Furniture Evaluation   |  |  |  |
| Furniture (include in calculations if                              | Proof: ANSI/BIFMA e3-2011 §7.6.1, ANSI/BIFMA e3-2011 §7.6.2, CDPH Standard Method v1.1-2010 or     |  |  |  |
| part of scope of work)   | salvaged or reused furniture   |  |  |  |

| Den | illeu Katiliy       | tuing                  |             |   |               |                    |             |  |  |  |  |
|-----|---------------------|------------------------|-------------|---|---------------|--------------------|-------------|--|--|--|--|
|     | General Information |                        |             | Option 1: Product Category Calculations | Inherently    |                    |             |  |  |  |  |
| No. | Product name        | Manufacturer           | Mass<br>[%] | Category                                | Assembly Type | Emissions Criteria | Nonemitting |  |  |  |  |
|     | BPA-SilverSeal      | BPA-GmbH<br>Herrenberg | 100%        |   | see below     |                    |             |  |  |  |  |
| A1  | BPA-SilverSeal      | BPA-GmbH               | 100%        | N/A                                     | N/A           | N/A                | N/A         |  |  |  |  |

# EQ Credit 2: Low Emitting Materials 2/4

# **Detailed Rating**

|     | General Information |                        |             | General Emissions Evaluation |                             | VOC Content |              |                        |                     | င၀       |
|-----|---------------------|------------------------|-------------|------------------------------|-----------------------------|-------------|--------------|------------------------|---------------------|----------|
| No. | Product name        | Manufacturer           | Mass<br>[%] | Criteria Met                 | TVOC Range<br>after 14 days | Regulation  | Product Type | VOC [g/l]<br>Allowable | VOC [g/l]<br>Actual | mpliance |
|     | BPA-SilverSeal      | BPA-GmbH<br>Herrenberg | 100%        |                              |                             | see l       | below        |                        |                     | 0        |
| A1  | BPA-SilverSeal      | BPA-GmbH               | 100%        | N/A *                        | N/A                         | N/A         | N/A          | N/A                    | N/A                 | 0        |

### Other remarks on classification

# EQ Credit 2: Low Emitting Materials 3/4

| Deta | lled Rating    | rating                 |             |                |            |  |  |  |  |  |
|------|----------------|------------------------|-------------|----------------|------------|--|--|--|--|--|
|      |                | Information            |             | Composite Wood | Comp       |  |  |  |  |  |
| No.  | Product name   | Manufacturer           | Mass<br>[%] | Criteria Met   | Compliance |  |  |  |  |  |
|      | BPA-SilverSeal | BPA-GmbH<br>Herrenberg | 100%        | see below      | 0          |  |  |  |  |  |
| A1   | BPA-SilverSeal | BPA-GmbH               | 100%        | N/A            | 0          |  |  |  |  |  |

<sup>\*</sup>The product falls under no requirement under EQ Credit 2: Low Emitting Materials. Therefore the product contributes toward satisfying EQ Credit 2: Low Emitting Materials.

# EQ Credit 2: Low Emitting Materials 4/4

|    |                | Information            |             | Furniture    | Com     |
|----|----------------|------------------------|-------------|--------------|---------|
| No | Product name   | Manufacturer           | Mass<br>[%] | Criteria Met | pliance |
|    | BPA-SilverSeal | BPA-GmbH<br>Herrenberg | 100%        | see below    | 0       |
| A1 | BPA-SilverSeal | BPA-GmbH               | 100%        | N/A          | 0       |

# **Location Valuation Factor**

### Information

Several credits in the MR section include a location valuation factor, which adds value to locally produced products and materials. The intent is to incentivize the purchase of products that support the local economy. Products and materials that are extracted, manufactured, and purchased within 100 miles (160 kilometers) of the project are valued at 200 % of their cost. For a product to qualify for the location valuation factor, it must meet two conditions: all extraction, manufacture, and purchase (including distribution) of the product and its materials must occur within that radius, and the product (or portion of an assembled product) must meet at least one of the sustainable criteria (e.g. FSC certification, recycled content) specified in the credit. Products and materials that do not meet the location criteria but do meet at least one of the sustainability criteria are valued 100 % of their cost (i.e. the valuation factor is 1).

The distance must be measured as the crow flies, not by actual travel distance. The point of purchase is considered the location of the purchase transaction. For online or other transactions that do not occur in person, the point of purchase is considered the location of product distribution.

|     | General Information |                        |             | Location      |  |                                   |  |  |
|-----|---------------------|------------------------|-------------|---------------|--|-----------------------------------|--|--|
| No. | Product name        | Manufacturer           | Mass<br>[%] | Extraction    | Manufacture                            | Purchase (including distribution) |  |  |
|     | BPA-SilverSeal      | BPA-GmbH<br>Herrenberg | 100%        | 1             | Oouble weighting depends on building s | ite                               |  |  |
| A1  | BPA-SilverSeal      | BPA-GmbH               | 100%        | not specified | not specified                          | D-71083 Herrenberg                |  |  |



### Notice:

This declaration is a product of HOINKA GmbH. This data sheet is published in the online database greenbuildingproducts.eu. The data sheet is only valid as LEED evidence in conjunction with the manufacturer's declarations and product certificates that prove the information given in this declaration. This declaration is no official certificate in terms of LEED. The contents are based on manufacturer specifications. In spite of a diligent treatment of all information HOINKA GmbH cannot guarantee the actuality or correctness of the published data. The interpretation of the LEED criteria requirements can differ and depend on the project and the scope of application. In spite of a diligent treatment of all information HOINKA GmbH cannot guarantee the correctness of evaluation in terms of the LEED requirements. The user of this declaration, the consumer of the product and the consultant/planner, who is advising this product in any construction projects, is responsible by himself to proof all data published in this document and to verify the permissibility for the designated application. The content of this data sheet does not manifest any legal relationship. With the publication of a new edition, this declaration can no longer be considered to be valid. The latest version is available in the internet.

# Contact:

HOINKA GmbH - greenbuildingprodcuts.eu Nobelstraße 15 D-70569 Stuttgart

Tel. +49 711 62049-340 Fax +49 711 62049-349

www.greenbuildingproducts.eu contact@greenbuildingproducts.eu

# Imprint:

HOINKA GmbH - greenbuildingprodcuts.eu Lembergweg 7/1 D-71067 Sindelfingen

CEO: Dipl.-Ing. Thomas Hoinka